

# Breeze™

|                                     |  |
|-------------------------------------|--|
| Seating Capacity.....               | 7 Adults   |
| Dimensions .....                    | 83.75" x 83.75" x 36",<br>(213 cm x 213 cm x 91 cm)  |
| Corner Radius .....                 | 9" (23 cm)   |
| Dry Weight.....                     | 590 lbs (268 kg)   |
| Filled Weight (Average Fill).....   | 3,205 lbs (1,454 kg)   |
| Water Capacity (Average Fill) ..... | 315 US gallons (1,192 Liters)  |
| Shipping Weight .....               | 590 lbs (268 kg)   |
| Export Shipping Weight:.....        | <b>640 lbs (290 kg)</b>  |
| Electronic Controls .....           | Programmable digital panel with LED readout  |
| Pump 1.....                         | North America (60 Hz): 2-Speed, 3.6 HP break,<br>2.0 HP continuous, 48 Frame   |
| Export (50 Hz): .....               | <b>2-Speed, 2.0 HP continuous</b>  |
| Pump 2.....                         | North America (60 Hz): 1-Speed, 3.6 HP break, 2.0 HP continuous, 48 Frame  |
| Export (50 Hz): .....               | <b>1-Speed, 2.0 HP continuous</b>  |
| Circulation Pump.....               | Optional with ClearZone® Pro package   |
| Filtration (factory default) .....  | 2 Cycles for a total of 2 hours  |
| Heater .....                        | 4.0 kW   |
| Export (50Hz) .....                 | <b>2.0 kW</b>  |
| Total @Home Jets .....              | 35   |
| Seat 1 Jets.....                    | 3 Cluster Storm Directional, 2 Mini Storm Rotator  |
| Seat 2 Jets.....                    | 2 Cluster Storm Rifled   |
| Seat 3 Jets.....                    | 2 Power Storm Massage, 1 Power Storm Directional Twirl, 2 Mini Storm Rotator   |
| Seat 4 Jets.....                    | 2 Mini Storm Directional   |
| Seat 5 Jets.....                    | 7 Cluster Storm Pulsator   |
| Seat 6 Jets.....                    | 4 Cluster Storm Directional, 2 Power Storm Twister   |
| Footwell (7).....                   | 8 Cluster Storm Directional  |
| Massage Selectors .....             | None   |
| Special Features .....              | Tactile Therapy  |
| Water Management System.....        | One 75 ft <sup>2</sup> filter cartridge; 8" Weir   |
| Optional .....                      | ClearZone® Pro Water Purification System   |
| LED Lighting .....                  | One multi Color LED footwell light   |
| Optional .....                      | Crystal FX™  |
| Terracina™ Cabinet Colors .....     | Driftwood, Vintage Cedar, Midnight Maple   |
| Acrylic Colors .....                | UltraLife, Moonstone, Sunstone, Smoked Marble, UltraLife Gray, Desert Stone  |
| Headrests .....                     | 4  |
| Water Feature.....                  | Water fountain with independent flow rate (on or off) adjustment; powered by pump<br>1   |
| Electrical Requirements: .....      | North America (60 Hz): 240 VAC@30A or 40A<br><b>Export (50 Hz): 230 VAC@1x16A, 1x32A, 2x16A, 3x16A or suitably rated<br/>circuit breaker to comply with local electrical codes. Certain countries may<br/>require dual power inputs</b>  |
| Warranty*.....                      | North America (60 Hz): Lifetime for UltraLife Shell Surface, 5 Years Acrylic Shell<br>Surface, 3 Years Plumbing, 3 Years Equipment and Controls, 7 Years Cabinet, 1<br>Year Water Purification System, 2 Years for Jet Insert, 1 Year for Jet Escutcheon, 1<br>Year Lights;<br><b>Export (50 Hz): 10 Years for UltraLife Shell Surface, 5 Years Acrylic Shell<br/>Surface, 2 Years Plumbing, 2 Years Equipment and Controls,<br/>2 Years Cabinet, 1 Year Water Purification System, 2 Years for Jet Insert, 1<br/>Year for Jet Escutcheon, 1 Year Lights</b> |
| Audio System (Optional).....        | N/A  |
| Optional .....                      | EPS Insulation   |




**Optional  
escutcheon jets**

\*(See Warranty Document for Specific Details)

# Breeze

## Massage Selector Diagram



Spa Operation Subject to Change without Notice

## Seat Depths

- 1 = 26.00" (66.04 cm)
- 2 = 26.00" (66.04 cm)
- 3 = 28.00" (71.12 cm)
- 4 = 26.00" (66.04 cm)
- 5 = 28.00" (71.12 cm)
- 6 = 27.00" (68.58 cm)

- 7 = 16.00" (40.64 cm)
- 8 = 30.00" (76.20 cm)


Listed dimensions represent distance from top of acrylic to lowest point in seat. Tolerance  $\pm 0.5"$  (1.27 cm).



Dimensions/Specifications are Subject to Change Without Notice

# Breeze

## Jet Designation



Dimensions/Operation/Specifications are Subject to Change Without Notice



### 35 Total Jets (textured)

### Total Jets



# Breeze

## Front View of Spa



Notes: Unless otherwise specified:

1. Subject to change without notice.
2. Engineering specs may differ slightly from brochure.
3. For E-Z lifter installation allow 18" (45.7 cm) clearances on the backside of the spa.
4. Alternative cabinets may add significant weight. Ask your dealer for exact details.



### \*Caution:

Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. **If site planning is critical to such tolerances, be sure to measure your actual spa.**

Dimensions/Specifications are Subject to Change Without Notice (Tolerance  $\pm 0.5"$  [1.27 cm]).